

Metocene MF650X

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/18/2023	BE3720	Date of first issue: 03/18/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Metocene MF650X
Synonyms	:	1-Propene, homopolymer, PP
Substance name	:	Polypropylene
Substance No.	:	9003-07-0
Chemical characterization	:	Polypropylene Homopolymer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	:	FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications

1.3 Details of the supplier of the safety data sheet

Company Basell Sales & Marketing Company B.V. Delftseplein 27E 3013 AA Rotterdam Netherlands	Registration number NA	Telephone 31 (0) 10 275 55 00
E-mail address : product.s Responsible/issuing person	afety@lyb.com	
1.4 Emergency telephone number		
Basell Sales & Marketing Company B.V.		+32 3 575 1235

Poison Center: Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.



Metocene MF650X

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/18/2023	BE3720	Date of first issue: 03/18/2023

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May form explosible dust-air mixture if small particles are generated during further processing, handling, or by other means.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name	: Polypropylene
CAS-No.	: 9003-07-0

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE			
Contains: Additives and stabilizers :						
Polypropylene	9003-07-0	> 99.5				

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Re-
	2 / 15

according to Regulation (EC) No. 1907/2006



Version 1.0	Revision Date: 03/18/2023	-	S Number: 3720	Date of last issue: - Date of first issue: 03/18/2023
			suscitation (CPR)	
In ca	se of skin contact	:	large amounts of mer. Do not attempt to the skin.	contacts the skin, immediately flush with water to cool the affected tissue and poly- peel polymer from skin as this will remove emergency medical attention if burn is deep
In ca	se of eye contact	:		ighly with water for several minutes and seek if discomfort persists.
			Continuously flush 15 minutes. Beyond flushing, adherent to the ey	ntact with molten polymer: n eye(s) with cool running water for at least DO NOT attempt to remove the material ye(s). medical attention.
lf swa	allowed	:	Adverse health ef	fects due to ingestion are not anticipated.
4.2 Most	important symptoms ar	nd e	ffects, both acute	and delayed
Symp	otoms	:		ess fumes and vapors may cause soreness rroat and coughing.
Risks	3	:		the eyes can lead to mechanical irritation. hay cause thermal burns.
4.3 Indica	tion of any immediate	med	lical attention and	special treatment needed
Treat	ment	:		e clinical condition of the patient.
SECTIO	N 5: Firefighting meas	sure	es	
5.1 Exting	guishing media			
Suita	ble extinguishing media	:	SMALL FIRE: Use dry chemical	, CO2, or water spray.
			LARGE FIRES: Use water spray h	nose nozzles from a safe location.
Unsu medi	itable extinguishing a	:	None known.	
5.2 Speci	al hazards arising from	the	substance or mi	xture
-	ific hazards during fire	:	Keep away from I In case of fire haz produced such as	neat and sources of ignition. ardous decomposition products may be
			3 / 15	-

according to Regulation (EC) No. 1907/2006



Metocene MF650X

Version 1.0	Revision Date: 03/18/2023	SDS Number: BE3720		Date of last issue: - Date of first issue: 03/18/2023
				nydrocarbons and aldehydes are possible in of a fire (especially in between 400 C and
5.3 Advice	for firefighters			
•	l protective equipment fighters	:		ositive pressure self-contained breathing efighter protective clothing.
Furthe	r information	:	ditions. Calorific Value: 80 Fight fire from saf zles. Heat from fire ma flammable vapors Move containers f Evacuate immedia tainer pressure re Always stay away Do not attempt to fire.	culate solid, will decompose under fire con- 000 - 11000 kcal/kg e distance with hose lines or monitor noz- y melt, decompose polymer, and generate trom fire area if it can be done without risk. ately in the event of opening of storage con- lief devices or discoloration of container. from tanks engulfed in fire. get on top of storage containers involved in trainers with large volumes of water even

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces.

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid.
-------------------------	---	---

according to Regulation (EC) No. 1907/2006



Metocene MF650X

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/18/2023	BE3720	Date of first issue: 03/18/2023

All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.

6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts. After handling, always wash hands thoroughly with soap and water. When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10.
Hygiene measures	: Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be per- formed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to pre-

according to Regulation (EC) No. 1907/2006



Metocene MF650X

Version 1.0	Revision Date: 03/18/2023	SDS Numl BE3720	ber:	Date of last issue: - Date of first issue: 03/18/2023
			ontaminatic static char	on. Take measures to prevent the build up of ge.
•	c end use(s) ic use(s)	: See Se	ection 1.2.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Non-specified (in- ert or nuisance) dust	Not As- signed	TWA	10 mg/m3 (inhalable)	US (ACGIH)
		TWA	3 mg/m3 (respirable)	US (ACGIH)

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Eye protection	:	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.	
Hand protection			
Remarks	:	Wear gloves that provide thermal protection where there is a potential for contact with heated material.	
Skin and body protection	:	Wear suitable protective clothing.	
Respiratory protection	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recom- mended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations	

6/15

according to Regulation (EC) No. 1907/2006



Metocene MF650X

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/18/2023	BE3720	Date of first issue: 03/18/2023

above the exposure limit they must use appropriate certified respirators.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	pellets
Color	:	Translucent to white
Odor	:	Slight.
Odor Threshold	:	No value available.
Melting point/range	:	50 - 170 °C
Boiling point/boiling range	:	Not applicable.
Flammability	:	May form combustible dust concentrations in air.
		Polymer will burn but does not easily ignite.
Upper explosion limit / Upper flammability limit	:	Not applicable.
Lower explosion limit / Lower flammability limit	:	The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.
Flash point	:	No Data Available.
Decomposition temperature	:	Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
рН	:	Not applicable.
Viscosity Viscosity, dynamic	:	Not applicable.
Solubility(ies) Water solubility	:	Insoluble.
Partition coefficient: n- octanol/water	:	No Data Available.
Vapor pressure	:	Not applicable.
Density	:	< 1 g/cm3
Relative vapor density	:	Not applicable.
		7 / 15

according to Regulation (EC) No. 1907/2006



Version 1.0	Revision Date: 03/18/2023	SDS Number BE3720	Date of last issue: - Date of first issue: 03/18/2023
	information osives	· No Data	Available.
Oxidi	izing properties		idered an oxidizing agent.
Self-i	gnition	: > 300 °C	
Evap	oration rate	: Not appli	cable.
SECTIO	N 10: Stability and	eactivity	
10.1 Read	ctivity		
No ki	nown reactivity hazard	S.	
	mical stability le under normal condit		
	sibility of hazardous n ardous reactions	: None kno	own.
10.4 Con	ditions to avoid		
Conc	litions to avoid	: Avoid co open flar	ntact with strong oxidizers, excessive heat, sparks or ne.
10.5 Inco	mpatible materials		
Mate	rials to avoid	: Material	may be softened by some hydrocarbons.
	ardous decompositio expected to decompose	•	onditions.
SECTIO	N 11: Toxicological	information	
11 1 Infor	mation on bazard cla	esos as dofinor	in Regulation (EC) No 1272/2008
	e toxicity		
	ponents:		
	-		
-	propylene: e oral toxicity	: Assessme icity	ent: The substance or mixture has no acute oral tox-
Acute	e inhalation toxicity	: Assessme tion toxici	ent: The substance or mixture has no acute inhala-
Acute	e dermal toxicity	: Assessme toxicity	ent: The substance or mixture has no acute dermal

according to Regulation (EC) No. 1907/2006



/ersion .0	Revision Date: 03/18/2023		DS Number: E3720	Date of last issue: - Date of first issue: 03/18/2023
Skin o	corrosion/irritation			
Comp	oonents:			
Polyp Resul	ropylene: t	:	No skin irritation	
Serio	us eye damage/eye irı	itati	ion	
Comp	oonents:			
Polyp Rema	r opylene: ırks	:	Mechanical irritati	on is possible.
Respi	iratory or skin sensitiz	zatio	on	
Comp	oonents:			
Polyp	oropylene:			
Resul	t	:	Does not cause s	kin sensitization.
Resul	t	:	Does not cause re	espiratory sensitization.
Germ	cell mutagenicity			
<u>Comp</u>	oonents:			
	u ,	:	Based on availabl	e data, the classification criteria are not met.
Carci	nogenicity			
<u>Comp</u>	oonents:			
	ropylene: nogenicity - Assess-	:	No evidence of ca	arcinogenicity in animal studies.
Repro	oductive toxicity			
Comp	oonents:			
	propylene: aductive toxicity - As- ment	:	Based on availabl	e data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006



Metocene MF650X

Vers 1.0	sion	Revision Date: 03/18/2023		DS Number: E3720	Date of last issue: - Date of first issue: 03/18/2023
	<u>Comp</u>	single exposure onents: ropylene: sment	:	The substance or organ toxicant, sir	mixture is not classified as specific target ngle exposure.
	STOT-	repeated exposure			
	<u>Comp</u>	onents:			
	Polypr Assess	r opylene: sment	:	The substance or organ toxicant, re	mixture is not classified as specific target peated exposure.
	Aspira	tion toxicity			
	<u>Comp</u>	onents:			
	•••	opylene: biration toxicity classific	atio	n	
11.2	Inform	nation on other hazard	ds		
	Endoc	rine disrupting prope	ertie	s	
	Produc Assess		:	ered to have endo REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:			
Polypropylene: Toxicity to fish	:	Remarks: Aquatic toxicity is unlikely due to low solubility.	
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No toxicity at the limit of solubility.	
Toxicity to algae/aquatic plants	:	Remarks: No toxicity at the limit of solubility.	
Toxicity to microorganisms	:	Remarks: No toxicity at the limit of solubility.	
10 / 15			

according to Regulation (EC) No. 1907/2006



Version 1.0	Revision Date: 03/18/2023		DS Number: E3720	Date of last issue: - Date of first issue: 03/18/2023
Tor	<pre>kicity to fish (Chronic tox- /)</pre>	:	Remarks: No toxicity at the limit of solubility.	
aqı	cicity to daphnia and other atic invertebrates (Chron- pxicity)	:	Remarks: No toxicity at the limit of solubility.	
Ec	otoxicology Assessment			
Aci	ite aquatic toxicity	:	Not classified	
Ch	onic aquatic toxicity	:	Not classified	
To	cicity Data on Soil	:	Not expected to a	idsorb on soil.
12.2 Pe	rsistence and degradabil	ity		
<u>Co</u>	mponents:			
	ypropylene: degradability	:	Remarks: The polymer is too large to be bioavailable.	
12.3 Bio	accumulative potential			
<u>Co</u>	mponents:			
	ypropylene: accumulation	:	Remarks: This material is not expected to bioaccumulate.	
12.4 Mc	bility in soil			
<u>Co</u>	mponents:			
Ро	ypropylene:			
Мо	bility	:	Remarks: no data available	
12.5 Re	sults of PBT and vPvB as	sse	ssment	
Pro	oduct:			
As	sessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	
<u>Co</u>	mponents:			
Ро	ypropylene:			
Ass	sessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of	
			11 / 15	

according to Regulation (EC) No. 1907/2006



Metocene MF650X

Versio 1.0	n Revision Date: 03/18/2023		DS Number: E3720	Date of last issue: - Date of first issue: 03/18/2023
			0.1% or higher.	
12.6 E	ndocrine disrupting prop	ertie	es	
	r oduct: ssessment	:	ered to have endo REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to '(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
12.7 O	ther adverse effects			
A	r oduct: dditional ecological infor- ation	:		on this product. However, birds, fish and eat pellets which may obstruct their intesti-
<u>C</u> (omponents:			
Ei pa Ad	blypropylene: nvironmental fate and athways dditional ecological infor- ation	:		ot volatile and insoluble in water. ected to be minimal based on the low water ers.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.

SECTION 14: Transport information

14.1 UN number

Not regulated for transport

14.2 UN proper shipping name

Not regulated for transport

14.3 Transport hazard class(es)



Metocene MF650X

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/18/2023	BE3720	Date of first issue: 03/18/2023

Not regulated for transport

14.4 Packing group

Not regulated for transport

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user

No special precautions required.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

Country/Region	Inventory	Status Description
Australia	AICS	Listed
Canada	DSL	Listed
China	IECSC	Listed
Europe	REACH	See Compliance Statement*
Japan	ENCS	Listed
Korea	K REACH	Pre-registration period *
New Zealand	NZIoC	Listed
Philippines	PICCS	Listed
United Kingdom	UK REACH	See Compliance Statement*
United States of America	TSCA	Listed
Taiwan	TCSCA	Listed
Turkey	KKDIK	Pre-registration period *

* If the product has been purchased domestically from the notifying/registering legal entity of the LyondellBasell group of companies. We confirm that all substances (in this preparation)



Metocene MF650X

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/18/2023	BE3720	Date of first issue: 03/18/2023

have been registered in accordance with the deadlines set forth in the applicable regulation. During the "Pre-registration period", we confirm that all substances in this preparation have been pre-registered or, where required under the regulation, registered, and that we have the intention to proceed with their registration in accordance with the deadlines set forth in the regulation. For more information, please contact reach@lyondellbasell.com.

† For more information on the status of this material, please contact chemical control at global.chemical.control@lyondellbasell.com.

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

Full text of other abbreviations

US (ACGIH)	:	US (ACGIH)
US (ACGIH) / TWA	:	Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA



Metocene MF650X

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/18/2023	BE3720	Date of first issue: 03/18/2023

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AUS2 / EN