

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	:	Moplen RP316M
Synonyms	:	Ethylene-Propylene copolymer, 1-Propene-Ethylene-Copolymer
Substance name	:	1-Propene, Polymer with Ethene
Substance No.	:	9010-79-1
Chemical characterization	:	Polypropylene copolymer

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	:	FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications

#### 1.3 Details of the supplier of the safety data sheet

<b>Company</b>	<b>Registration number</b>	<b>Telephone</b>
Basell Sales & Marketing Company B.V. Delftseplein 27E 3013 AA Rotterdam Netherlands	NA	31 (0) 10 275 55 00
E-mail address	: product.safety@lyb.com	
Responsible/issuing person		

#### 1.4 Emergency telephone number

Basell Sales & Marketing Company B.V.	+32 3 575 1235
---------------------------------------	----------------

**Poison Center:**  
Gesundheit Österreich GMBH  
AT: +43 1 406 43 43  
24 hours all days

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**  
Not a hazardous substance or mixture.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May form explosible dust-air mixture if small particles are generated during further processing, handling, or by other means.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1-Propene, Polymer with Ethene	9010-79-1		98 - 100

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

- |                |  |
|----------------|--|
| General advice | : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.   |
| If inhaled     | : Remove person to fresh air. If signs/symptoms continue, get medical attention.<br>In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.<br>Obtain medical attention.<br>Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

- In case of skin contact : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer. Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.
- In case of eye contact : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.
- In case of eye contact with molten polymer:  
Continuously flush eye(s) with cool running water for at least 15 minutes.  
Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s).  
Immediately seek medical attention.
- If swallowed : Adverse health effects due to ingestion are not anticipated.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation of process fumes and vapors may cause soreness in the nose and throat and coughing.
- Risks : Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : SMALL FIRE:  
Use dry chemical, CO<sub>2</sub>, or water spray.
- LARGE FIRES:  
Use water spray hose nozzles from a safe location.
- Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as:  
Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

---

### 5.3 Advice for firefighters

- Special protective equipment for fire-fighters : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
- Further information : Combustible particulate solid, will decompose under fire conditions.  
Calorific Value: 8000 - 11000 kcal/kg  
Fight fire from safe distance with hose lines or monitor nozzles.  
Heat from fire may melt, decompose polymer, and generate flammable vapors.  
Move containers from fire area if it can be done without risk.  
Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container.  
Always stay away from tanks engulfed in fire.  
Do not attempt to get on top of storage containers involved in fire.  
Cool storage containers with large volumes of water even after fire is out.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Equip responders with proper protection.  
Creates dangerous slipping hazard on any hard smooth surface.  
Equip emergency responders with proper personal protective equipment (PPE)  
Avoid generating dust.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Potential combustible dust hazard.  
Polymer particles create slipping hazard on hard smooth surfaces.

### 6.2 Environmental precautions

- Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.  
On water, material is insoluble; collect and contain as any solid.  
All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Material is in a pellet form.  
If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air.  
Avoid dust accumulation in enclosed space.  
Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard.  
Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion  
Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded.  
Metal containers involved in the transfer of this material should be grounded and bonded.  
All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts.  
After handling, always wash hands thoroughly with soap and water.  
When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10.
- Hygiene measures : Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.  
Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to prevent contamination. Take measures to prevent the build up of electrostatic charge.

### 7.3 Specific end use(s)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version 1.6      Revision Date: 03/18/2023      SDS Number: BE8760      Date of last issue: 01/14/2022  
Date of first issue: 07/29/2014

Specific use(s) : See Section 1.2.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Non-specified (inert or nuisance) dust	Not Assigned	TWA	10 mg/m <sup>3</sup> (inhalable)	US (ACGIH)
		TWA	3 mg/m <sup>3</sup> (respirable)	US (ACGIH)

#### 8.2 Exposure controls

##### Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

##### Personal protective equipment

Eye protection : Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.

Hand protection

Remarks : Wear gloves that provide thermal protection where there is a potential for contact with heated material.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Use appropriate respiratory protection where atmosphere exceeds recommended limits.  
Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: pellets
Color	: Translucent to white
Odor	: Slight.
Odor Threshold	: No value available.
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Flammability	: May form combustible dust concentrations in air.  Polymer will burn but does not easily ignite.
Upper explosion limit / Upper flammability limit	: Not applicable.
Lower explosion limit / Lower flammability limit	: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.
Flash point	: No Data Available.
Decomposition temperature	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
pH	: Not applicable.
Viscosity Viscosity, dynamic	: Not applicable.
Solubility(ies) Water solubility	: Insoluble.
Partition coefficient: n-octanol/water	: No Data Available.
Vapor pressure	: Not applicable.
Density	: < 1 g/cm <sup>3</sup>
Relative vapor density	: Not applicable.

#### 9.2 Other information

Explosives	: No Data Available.
------------	----------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

---

Oxidizing properties : Not considered an oxidizing agent.

Self-ignition : > 300 °C

Evaporation rate : Not applicable.

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No known reactivity hazards.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

#### 10.4 Conditions to avoid

Conditions to avoid : Avoid contact with strong oxidizers, excessive heat, sparks or open flame.

#### 10.5 Incompatible materials

Materials to avoid : Material may be softened by some hydrocarbons.

#### 10.6 Hazardous decomposition products

Not expected to decompose under normal conditions.

---

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

##### Components:

##### 1-Propene, Polymer with Ethene:

Acute oral toxicity : Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

---

### Skin corrosion/irritation

#### Components:

##### 1-Propene, Polymer with Ethene:

Result : No skin irritation

### Serious eye damage/eye irritation

#### Components:

##### 1-Propene, Polymer with Ethene:

Remarks : Mechanical irritation is possible.

### Respiratory or skin sensitization

#### Components:

##### 1-Propene, Polymer with Ethene:

Result : Did not cause sensitization on laboratory animals.

### Germ cell mutagenicity

#### Components:

##### 1-Propene, Polymer with Ethene:

Germ cell mutagenicity- Assessment : Based on available data, the classification criteria are not met.

### Carcinogenicity

#### Components:

##### 1-Propene, Polymer with Ethene:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Components:

##### 1-Propene, Polymer with Ethene:

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

### STOT-single exposure

#### Components:

##### 1-Propene, Polymer with Ethene:

Assessment : The substance or mixture is not classified as specific target

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

---

organ toxicant, single exposure.

### STOT-repeated exposure

#### Components:

##### **1-Propene, Polymer with Ethene:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

#### Components:

##### **1-Propene, Polymer with Ethene:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **1-Propene, Polymer with Ethene:**

Toxicity to fish : Remarks: Aquatic toxicity is unlikely due to low solubility.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic) : Remarks: No toxicity at the limit of solubility.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

---

ic toxicity)

### Ecotoxicology Assessment

Acute aquatic toxicity	:	Not classified
Chronic aquatic toxicity	:	Not classified
Toxicity Data on Soil	:	Not expected to adsorb on soil.

### 12.2 Persistence and degradability

#### Components:

##### 1-Propene, Polymer with Ethene:

Biodegradability	:	Remarks: The polymer is too large to be bioavailable.
------------------	---	---

### 12.3 Bioaccumulative potential

#### Components:

##### 1-Propene, Polymer with Ethene:

Bioaccumulation	:	Remarks: This material is not expected to bioaccumulate.
-----------------	---	--

### 12.4 Mobility in soil

#### Components:

##### 1-Propene, Polymer with Ethene:

Mobility	:	Remarks: no data available
----------	---	----------------------------

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
------------	---	--

### 12.6 Endocrine disrupting properties

#### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

### 12.7 Other adverse effects

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

---

Additional ecological information : No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.

### Components:

#### **1-Propene, Polymer with Ethene:**

Environmental fate and pathways : This material is not volatile and insoluble in water.

Additional ecological information : Ecotoxicity is expected to be minimal based on the low water solubility of polymers.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.

---

## SECTION 14: Transport information

### 14.1 UN number

Not regulated for transport

### 14.2 UN proper shipping name

Not regulated for transport

### 14.3 Transport hazard class(es)

Not regulated for transport

### 14.4 Packing group

Not regulated for transport

### 14.5 Environmental hazards

Not applicable

### 14.6 Special precautions for user

No special precautions required.

### 14.7 Maritime transport in bulk according to IMO instruments

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

Not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### REACH Annex XVII

This product contains an ingredient listed in Annex XVII of the REACH Regulation 1907/2006/EC.

Component	CASRN	Remarks
Citric Acid	77-92-9	Use restricted. See item 75.

#### Other international regulations

##### Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

Country/Region	Inventory	Status Description
Australia	AICS	Listed
Canada	DSL	Listed
China	IECSC	Not listed
Europe	REACH	See Compliance Statement*
Japan	ENCS	Listed
Korea	K REACH	Pre-registration period *
New Zealand	NZIoC	Listed
Philippines	PICCS	Listed
United Kingdom	UK REACH	See Compliance Statement*
United States of America	TSCA	Listed
Taiwan	TCSCA	Listed
Turkey	KKDIK	Pre-registration period *

\* If the product has been purchased domestically from the notifying/registering legal entity of the LyondellBasell group of companies. We confirm that all substances (in this preparation) have been registered in accordance with the deadlines set forth in the applicable regulation. During the "Pre-registration period", we confirm that all substances in this preparation have been pre-registered or, where required under the regulation, registered, and that we have the intention to proceed with their registration in accordance with the deadlines set forth in the regulation. For more information, please contact [reach@lyondellbasell.com](mailto:reach@lyondellbasell.com).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

† For more information on the status of this material, please contact chemical control at [global.chemical.control@lyondellbasell.com](mailto:global.chemical.control@lyondellbasell.com).

### 15.2 Chemical safety assessment

No information available.

## SECTION 16: Other information

### Full text of H-Statements

### Full text of other abbreviations

US (ACGIH)	:	US (ACGIH)
US (ACGIH) / TWA	:	Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## Moplen RP316M

Version	Revision Date:	SDS Number:	Date of last issue: 01/14/2022
1.6	03/18/2023	BE8760	Date of first issue: 07/29/2014

---

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AUS2 / EN