

Moplen RP340H

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2020
1.5	03/18/2023	BE8767	Date of first issue: 07/29/2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Moplen RP340H
Synonyms	: Ethylene-Propylene copolymer, 1-Propene-Ethylene-
	Copolymer
Substance name	: 1-Propene, Polymer with Ethene
Substance No.	: 9010-79-1
Chemical characterization	: Polypropylene copolymer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	:	FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications

1.3 Details of the supplier of the safety data sheet

Company Basell Sales & Marketing Company B.V. Delftseplein 27E 3013 AA Rotterdam Netherlands	Registration number NA	Telephone 31 (0) 10 275 55 00			
E-mail address : product.sa Responsible/issuing person	afety@lyb.com				
1.4 Emergency telephone number					

Basell Sales & Marketing Company B.V.

+32 3 575 1235

Poison Center:

Gesundheid Österreich GMBH AT: +43 1 406 43 43 24 hours all days

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.



Moplen RP340H

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2020
1.5	03/18/2023	BE8767	Date of first issue: 07/29/2014

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May form explosible dust-air mixture if small particles are generated during further processing, handling, or by other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
1-Propene, Polymer with Ethene	9010-79-1		> 99.5
For some stice of all has istices as			<u> </u>

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	: Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.
If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)

according to Regulation (EC) No. 1907/2006



Version 1.5	Revision Date: 03/18/2023		DS Number: E8767	Date of last issue: 05/29/2020 Date of first issue: 07/29/2014
In ca	In case of skin contact		large amounts of mer. Do not attempt to the skin.	contacts the skin, immediately flush with water to cool the affected tissue and poly- peel polymer from skin as this will remove e emergency medical attention if burn is deep
In cas	In case of eye contact			ughly with water for several minutes and seek if discomfort persists.
			Continuously flus 15 minutes. Beyond flushing, adherent to the e	ntact with molten polymer: h eye(s) with cool running water for at least DO NOT attempt to remove the material ye(s). a medical attention.
lf swa	allowed	:	Adverse health ef	fects due to ingestion are not anticipated.
4.2 Most i	mportant symptoms a	nd e	effects, both acute	e and delayed
Symp		:	Inhalation of proc	ess fumes and vapors may cause soreness nroat and coughing.
Risks	Risks			the eyes can lead to mechanical irritation. hay cause thermal burns.
4.3 Indica	tion of any immediate	me	dical attention and	d special treatment needed
Treat	•	:	Treatment of ove	rexposure should be directed at the control of e clinical condition of the patient.
SECTION	N 5: Firefighting meas	sur	es	
5.1 Extino	uishing media			
-	ble extinguishing media	:		, CO2, or water spray.
			LARGE FIRES: Use water spray l	hose nozzles from a safe location.
Unsu media	itable extinguishing a	:	None known.	
5.2 Specia	al hazards arising from	the	e substance or mi	xture
Spec fightir	ific hazards during fire	:	In case of fire haz produced such as	heat and sources of ignition. zardous decomposition products may be s: e, carbon dioxide and unburned hydrocar-

according to Regulation (EC) No. 1907/2006



Moplen RP340H

Version 1.5	Revision Date: 03/18/2023	 DS Number: 8767	Date of last issue: 05/29/2020 Date of first issue: 07/29/2014
 1.5 03/18/2023 5.3 Advice for firefighters Special protective equipment for fire-fighters Further information 		 Wear approved per apparatus and fire Combustible parti ditions. Calorific Value: 80 Fight fire from saf zles.	ositive pressure self-contained breathing efighter protective clothing. culate solid, will decompose under fire con- 000 - 11000 kcal/kg e distance with hose lines or monitor noz- y melt, decompose polymer, and generate
		Evacuate immedia tainer pressure re Always stay away Do not attempt to fire.	from fire area if it can be done without risk. ately in the event of opening of storage con- lief devices or discoloration of container. If from tanks engulfed in fire. get on top of storage containers involved in mainers with large volumes of water even

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

P	ersonal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces.
6.2 En	vironmental precautions	

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, trans- ported and disposed of or reclaimed in conformance with ap plicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.
-------------------------	--



Moplen RP340H

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2020
1.5	03/18/2023	BE8767	Date of first issue: 07/29/2014

6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :	Material is in a pellet form. If converted to small particles during further processing, han- dling, or by other means, may form combustible dust concen- trations in air. Avoid dust accumulation in enclosed space. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explo- sion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling com- bustible dusts. After handling, always wash hands thoroughly with soap and water. When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10.
Hygiene measures :	Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be per- formed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.
7.2 Conditions for safe storage, incl	luding any incompatibilities
Requirements for storage : areas and containers	Store in a dry location. Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation. Store away from excessive heat and away from strong oxidizing agents. Keep container closed to pre- vent contamination. Take measures to prevent the build up of electrostatic charge.

7.3 Specific end use(s)



Moplen RP340H

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2020
1.5	03/18/2023	BE8767	Date of first issue: 07/29/2014
1.5	03/16/2023	BE0/0/	Date of first issue. 07/29/2014

Specific use(s) : See Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Non-specified (in- ert or nuisance) dust	Not As- signed	TWA	10 mg/m3 (inhalable)	US (ACGIH)
		TWA	3 mg/m3 (respirable)	US (ACGIH)

8.2 Exposure controls

Engineering measures

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Eye protection	:	Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product.
Hand protection		
Remarks	:	Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Skin and body protection	:	Wear suitable protective clothing.
Respiratory protection	:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recom- mended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.

according to Regulation (EC) No. 1907/2006



Moplen RP340H

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2020
1.5	03/18/2023	BE8767	Date of first issue: 07/29/2014

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	pellets
Color	:	Translucent to white
Odor	:	Slight.
Odor Threshold	:	No value available.
Melting point/range	:	50 - 170 °C
Boiling point/boiling range	:	Not applicable.
Flammability	:	May form combustible dust concentrations in air.
		Polymer will burn but does not easily ignite.
Upper explosion limit / Upper flammability limit	:	Not applicable.
Lower explosion limit / Lower flammability limit	:	The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.
Flash point	:	No Data Available.
Decomposition temperature	:	Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
рН	:	Not applicable.
Viscosity Viscosity, dynamic	:	Not applicable.
Solubility(ies) Water solubility	:	Insoluble.
Partition coefficient: n- octanol/water	:	No Data Available.
Vapor pressure	:	Not applicable.
Density	:	< 1 g/cm3
Relative vapor density	:	Not applicable.
9.2 Other information		
Explosives	:	No Data Available.
		7 / 15

according to Regulation (EC) No. 1907/2006



Version 1.5	Revision Date: 03/18/2023	SDS Number: BE8767	Date of last issue: 05/29/2020 Date of first issue: 07/29/2014
Oxidi	zing properties	: Not conside	red an oxidizing agent.
Self-i	gnition	: > 300 °C	
Evap	oration rate	: Not applicat	ble.
SECTION	N 10: Stability and I	eactivity	
	nown reactivity hazard	S.	
	nical stability e under normal condit	ons.	
	sibility of hazardous		
Haza	rdous reactions	: None knowr	h.
	litions to avoid litions to avoid	: Avoid conta open flame.	ct with strong oxidizers, excessive heat, sparks or
	mpatible materials rials to avoid	: Material ma	y be softened by some hydrocarbons.
	r dous decompositio xpected to decomposi	•	litions.
SECTION	N 11: Toxicological	information	
11.1 Infor	mation on hazard cla	sses as defined in	Regulation (EC) No 1272/2008
Acut	e toxicity		
Com	ponents:		
	opene, Polymer with		
Acute	e oral toxicity	: Assessment: icity	The substance or mixture has no acute oral tox-
Acute	e inhalation toxicity	: Assessment: tion toxicity	The substance or mixture has no acute inhala-
Acute	e dermal toxicity	: Assessment: toxicity	The substance or mixture has no acute dermal

according to Regulation (EC) No. 1907/2006



ersion 5	Revision Date: 03/18/2023	SDS Number: BE8767	Date of last issue: 05/29/2020 Date of first issue: 07/29/2014
Skin	corrosion/irritation		
<u>Com</u>	oonents:		
1-Pro	pene, Polymer with	Ethene:	
Resul		: No skin irritatio	n
Serio	us eye damage/eye	irritation	
<u>Comp</u>	oonents:		
1-Pro	pene, Polymer with	Ethene:	
Rema	arks	: Mechanical irri	tation is possible.
Resp	iratory or skin sens	tization	
<u>Comp</u>	oonents:		
1-Pro	pene, Polymer with	Ethene:	
Resul	t	: Did not cause	sensitization on laboratory animals.
Germ	cell mutagenicity		
<u>Com</u>	oonents:		
	• •		able data, the classification criteria are not me
Carci	nogenicity		
Com	oonents:		
	pene, Polymer with nogenicity - Assess-		f carcinogenicity in animal studies.
Repro	oductive toxicity		
Com	oonents:		
1-Pro	pene, Polymer with	Ethene:	
Repro sessn	oductive toxicity - As- nent	: Based on avail	able data, the classification criteria are not me
STOT	-single exposure		
<u>Comp</u>	oonents:		
1-Pro	pene, Polymer with	Ethene:	
Asses	ssment	: The substance	or mixture is not classified as specific target

according to Regulation (EC) No. 1907/2006



Moplen RP340H

ersion .5	Revision Date: 03/18/2023	SDS Number: BE8767	Date of last issue: 05/29/2020 Date of first issue: 07/29/2014
		organ toxicant	, single exposure.
STOT	-repeated exposure	9	
Com	oonents:		
1-Pro	pene, Polymer with	Ethene:	
Asses	ssment		e or mixture is not classified as specific target , repeated exposure.
Aspir	ation toxicity		
<u>Comp</u>	oonents:		
	pene, Polymer with piration toxicity class		
1.2 Infori	mation on other haz	ards	
Endo	crine disrupting pro	operties	
Produ	uct:		
Asses	ssment	ered to have e REACH Article	e/mixture does not contain components consid- ndocrine disrupting properties according to e 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 a or higher.

12.1 Toxicity

Components:

1-Propene, Polymer with Ethene:

Toxicity to fish	:	Remarks: Aquatic toxicity is unlikely due to low solubility.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	:	Remarks: No toxicity at the limit of solubility.
Toxicity to microorganisms	:	Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic tox- icity)	:	Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates (Chron-	:	Remarks: No toxicity at the limit of solubility.



Moplen RP340H

Version 1.5	Revision Date: 03/18/2023	SDS Number: BE8767	Date of last issue: 05/29/2020 Date of first issue: 07/29/2014
ic tox	icity)		
Foot	oxicology Assessme	ant l	
	aquatic toxicity	: Not classifie	ed
Chror	nic aquatic toxicity	: Not classifie	ed
Toxic	ity Data on Soil	: Not expecte	ed to adsorb on soil.
12.2 Persi	istence and degrada	bility	
Com	ponents:		
1-Pro	pene, Polymer with	Ethene:	
	egradability		he polymer is too large to be bioavailable.
12.3 Bioa	ccumulative potentia	al	
Com	ponents:		
1-Pro	pene, Polymer with	Ethene:	
Bioac	cumulation	: Remarks: T	his material is not expected to bioaccumulate.
12.4 Mobi	lity in soil		
Com	ponents:		
1-Pro	pene, Polymer with	Ethene:	
Mobil	ity	: Remarks: no	o data available
12.5 Resu	Ilts of PBT and vPvE	assessment	
Prod	uct:		
Asse	ssment	to be either	nce/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or ent and very bioaccumulative (vPvB) at levels of her.
12.6 Endo	ocrine disrupting pro	perties	
Prod	uct:		
	ssment	ered to have REACH Arti (EU) 2017/2	nce/mixture does not contain components conside e endocrine disrupting properties according to cle 57(f) or Commission Delegated regulation 2100 or Commission Regulation (EU) 2018/605 a % or higher.
12.7 Othe	r adverse effects		
Prod			

Product:

according to Regulation (EC) No. 1907/2006



Moplen RP340H

Version 1.5	Revision Date: 03/18/2023		DS Number: E8767	Date of last issue: 05/29/2020 Date of first issue: 07/29/2014
	ditional ecological infor- tion	:		on this product. However, birds, fish and eat pellets which may obstruct their intesti-
<u>Co</u>	mponents:			
1-P	ropene, Polymer with Et	hen	e:	
	rironmental fate and hways	:	This material is no	ot volatile and insoluble in water.
	ditional ecological infor- tion	:	Ecotoxicity is exp solubility of polym	ected to be minimal based on the low water ers.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.

SECTION 14: Transport information

14.1 UN number

Not regulated for transport

14.2 UN proper shipping name

Not regulated for transport

14.3 Transport hazard class(es)

Not regulated for transport

14.4 Packing group

Not regulated for transport

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user

No special precautions required.

14.7 Maritime transport in bulk according to IMO instruments



Moplen RP340H

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2020
1.5	03/18/2023	BE8767	Date of first issue: 07/29/2014

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

Country/Region	Inventory	Status Description
Australia	AICS	Listed
Canada	DSL	Listed
China	IECSC	Listed
Europe	REACH	See Compliance Statement*
Japan	ENCS	Not listed
Korea	K REACH	Pre-registration period *
New Zealand	NZIoC	Listed
Philippines	PICCS	Listed
United Kingdom	UK REACH	See Compliance Statement*
United States of America	TSCA	Listed
Taiwan	TCSCA	Listed
Turkey	KKDIK	Pre-registration period *

* If the product has been purchased domestically from the notifying/registering legal entity of the LyondellBasell group of companies. We confirm that all substances (in this preparation) have been registered in accordance with the deadlines set forth in the applicable regulation. During the "Pre-registration period", we confirm that all substances in this preparation have been pre-registered or, where required under the regulation, registered, and that we have the intention to proceed with their registration in accordance with the deadlines set forth in the deadlines set forth in the regulation. For more information, please contact reach@lyondellbasell.com.

† For more information on the status of this material, please contact chemical control at global.chemical.control@lyondellbasell.com.

15.2 Chemical safety assessment

No information available.



Moplen RP340H

Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2020
1.5	03/18/2023	BE8767	Date of first issue: 07/29/2014

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviations

US (ACGIH)	:	US (ACGIH)
US (ACGIH) / TWA	:	Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AUS2 / EN

according to Regulation (EC) No. 1907/2006



Version	Revision Date:	SDS Number:	Date of last issue: 05/29/2020
1.5	03/18/2023	BE8767	Date of first issue: 07/29/2014